LIGHTING PRODUCTS

PRODUCT CATALOGUE

ENGLISH

LIGHT , COMING FOR YOU

CONTENTS

L1 LED LAMP

- A5 Series ..... A
- A6 Series ..... B
- B5 Series C
- B6 Series ..... D
- C5 Series ..... E
- E5 Series ..... F
- E6 Series ..... G
- Table Lamp ..... H
- Flood Light I
- High Bay Light ..... J
- Track Light ..... K
- Strip Light L
- Night Light ..... M
- Funiture Cabinet Light ..... N
- Ceiling Light ..... O
- PLC ..... P

- T8 Tube ..... Q
- LED Batten Light ..... R
- Spot Light ..... S

L4 Light fittings

- Tri-proof ..... A
- T8 Lamp holder ..... B
- Table Lamp C
- Panel Light Frame ..... D

A5 Series

- Patent shell, environmental protection and light weight
- More than 3000V high voltage testing, safe insulation
- Housing built from High Efficiency thermal plastic together with inner aluminium part,to realize quick heat-dissipation effect and prolong bulb's lifespan

Warm White	3000K
Day Light	6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+,A
Beam angle	280°

PF	> 0.5, > 0.9
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
175702	6W	E27	3000K	450lm	50mA	D60*H110mm	With big angle
175696	6W	E27	6400K	450lm	50mA	D60*H110mm	With big angle
175726	7W	E27	3000K	490lm	50mA	D60*H110mm	With big angle
175719	7W	E27	6400K	560lm	50mA	D60*H110mm	With big angle
175740	8W	E27	3000K	640lm	70mA	D60*H110mm	With big angle
175733	8W	E27	6400K	640lm	70mA	D60*H110mm	With big angle
175764	9W	E27	3000K	720lm	80mA	D60*H110mm	With big angle
175757	9W	E27	6400K	720lm	80mA	D60*H110mm	With big angle
177812	10W	E27	3000K	800lm	100mA	D60*H110mm	With big angle
177829	10W	E27	6400K	850lm	100mA	D60*H110mm	With big angle
177836	11W	E27	3000K	935lm	90mA	D60*H120mm	With big angle
177843	11W	E27	6400K	957lm	90mA	D60*H120mm	With big angle
177850	12W	E27	3000K	984lm	90mA	D60*H120mm	With big angle
177867	12W	E27	6400K	1020lm	90mA	D60*H120mm	With big angle
175481	6W	E14	3000K	450lm	50mA	D60*H115mm	With big angle
175474	6W	E14	6400K	450lm	50mA	D60*H115mm	With big angle
175504	7W	E14	3000K	490lm	50mA	D60*H115mm	With big angle
175498	7W	E14	6400K	560lm	50mA	D60*H115mm	With big angle
175528	8W	E14	3000K	640lm	70mA	D60*H115mm	With big angle
175511	8W	E14	6400K	640lm	70mA	D60*H115mm	With big angle
175542	9W	E14	3000K	720lm	80mA	D60*H115mm	With big angle
175535	9W	E14	6400K	720lm	80mA	D60*H115mm	With big angle
181819	9W	E27	3000K	600lm	40mA	D60*H120mm	With big angle
181994	9W	E27	6400K	660lm	40mA	D60*H120mm	With big angle

Warm White 3000K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181895	6W	B22	3000K	450lm	50mA	D60*H109mm	With big angle
181901	9W	B22	3000K	720lm	80mA	D60*H119mm	With big angle
181918	12W	B22	3000K	984lm	90mA	D60*H119mm	With big angle

Warm White	3000K
Day Light	6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+,A
Beam angle	180°

PF	> 0.5
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
175788	11W	E27	3000K	935lm	100mA	D65*H124mm
175771	11W	E27	6400K	935lm	100mA	D65*H124mm
175801	12W	E27	3000K	960lm	100mA	D65*H124mm
175795	12W	E27	6400K	1020lm	100mA	D65*H124mm
175825	15W	E27	3000K	1125lm	110mA	D65*H124mm
175818	15W	E27	6400K	1200lm	110mA	D65*H124mm

Warm White 3000K

Day Light 6400K

Voltage	230V	**PF**	> 0.4
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
176204	3W	E14	3000K	225lm	30mA	D45*H84mm	With big angle
176211	3W	E14	6400K	225lm	30mA	D45*H84mm	With big angle
176228	4W	E14	3000K	310lm	40mA	D45*H90mm	With big angle
176235	4W	E14	6400K	325lm	40mA	D45*H90mm	With big angle
176266	5W	E14	3000K	360lm	40mA	D45*H90mm	With big angle
176273	5W	E14	6400K	390lm	40mA	D45*H90mm	With big angle
175924	3W	E27	3000K	225lm	30mA	D45*H79mm	With big angle
175917	3W	E27	6400K	225lm	30mA	D45*H79mm	With big angle
175948	4W	E27	3000K	310lm	40mA	D45*H85mm	With big angle
175931	4W	E27	6400K	325lm	40mA	D45*H85mm	With big angle
176242	5W	E27	3000K	360lm	40mA	D45*H85mm	With big angle
176259	5W	E27	6400K	390lm	40mA	D45*H85mm	With big angle

Warm White 3000K

Voltage	230V	**PF**	> 0.4
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181932	4W	B22	3000K	310lm	40mA	D45*H84mm	With big angle
181949	5W	B22	3000K	350lm	40mA	D45*H84mm	With big angle

Warm White	3000K
Day Light	6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	280°

PF	> 0.5
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
183059	6W	E14	3000K	440lm	50mA	D50*H103mm	With big angle
183042	6W	E14	6400K	450lm	50mA	D50*H103mm	With big angle
178949	7W	E14	3000K	490lm	50mA	D50*H103mm	With big angle
178956	7W	E14	6400K	490lm	50mA	D50*H103mm	With big angle
183073	6W	E27	3000K	440lm	50mA	D50*H97mm	With big angle
183066	6W	E27	6400K	450lm	50mA	D50*H97mm	With big angle
179069	7W	E27	3000K	490lm	50mA	D50*H97mm	With big angle
178963	7W	E27	6400K	490lm	50mA	D50*H97mm	With big angle

Warm White 3000K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181987	6W	B22	3000K	440lm	50mA	D50*H96mm	With big angle
181956	7W	B22	3000K	490lm	50mA	D50*H96mm	With big angle

Warm White 3000K

Voltage	230V	**PF**	> 0.4
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	270°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181871	4W	B22	3000K	300lm	40mA	D35*H102mm	With big angle

Warm White	3000K
Day Light	6400K

Voltage	230V	**PF**	> 0.4, > 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	270°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
175849	3W	E14	3000K	225lm	30mA	D37*H101mm	With big angle
175832	3W	E14	6400K	225lm	30mA	D37*H101mm	With big angle
175863	4W	E14	3000K	300lm	40mA	D37*H101mm	With big angle
175856	4W	E14	6400K	320lm	50mA	D37*H101mm	With big angle
178970	6W	E14	3000K	450lm	50mA	D37*H108mm	With big angle
178987	6W	E14	6400K	450lm	50mA	D37*H108mm	With big angle
179014	7W	E14	3000K	490lm	50mA	D37*H108mm	With big angle
179076	7W	E14	6400K	490lm	50mA	D37*H108mm	With big angle
175887	3W	E27	3000K	225lm	30mA	D37*H101mm	With big angle
175870	3W	E27	6400K	225lm	30mA	D37*H101mm	With big angle
175900	4W	E27	3000K	300lm	40mA	D37*H101mm	With big angle
175894	4W	E27	6400K	320lm	50mA	D37*H101mm	With big angle
178994	6W	E27	3000K	450lm	50mA	D37*H108mm	With big angle
179007	6W	E27	6400K	450lm	50mA	D37*H108mm	With big angle
179045	7W	E27	3000K	490lm	50mA	D37*H108mm	With big angle
179052	7W	E27	6400K	490lm	50mA	D37*H108mm	With big angle

Warm White 3000K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	270°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181888	6W	B22	3000K	450lm	50mA	D37*H107mm	With big angle
181925	7W	B22	3000K	490lm	50mA	D37*H107mm	With big angle

Warm White 3000K

Day Light 6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	270°
PF	> 0.4
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
176310	3W	E14	3000K	225lm	30mA	D37*H121mm	With big angle
176327	3W	E14	6400K	225lm	30mA	D37*H121mm	With big angle
176358	4W	E14	3000K	300lm	40mA	D37*H121mm	With big angle
176365	4W	E14	6400K	320lm	50mA	D37*H121mm	With big angle
176297	3W	E27	3000K	225lm	30mA	D37*H117mm	With big angle
176303	3W	E27	6400K	225lm	30mA	D37*H117mm	With big angle
176334	4W	E27	3000K	300lm	40mA	D37*H117mm	With big angle
176341	4W	E27	6400K	320lm	50mA	D37*H117mm	With big angle

Warm White	3000K
Day Light	6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	120-160°,30°
PF	> 0.4, > 0.5
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
176174	3W	GU10	3000K	180lm	30mA	D50*H51mm
175955	3W	GU10	6400K	195lm	30mA	D50*H51mm
175979	4W	GU10	3000K	240lm	40mA	D50*H51mm
175962	4W	GU10	6400K	260lm	50mA	D50*H51mm
177751	6W	GU10	3000K	390lm	40mA	D50*H55mm
177768	6W	GU10	6400K	420lm	40mA	D50*H55mm
000317	8W	GU10	3000K	560lm	60mA	D50*H55mm
000300	8W	GU10	6400K	600lm	60mA	D50*H55mm

Warm White	3000K
Day Light	6400K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	30°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
177737	6W	GU10	3000K	300lm	40mA	D50*H55mm
177744	6W	GU10	6400K	330lm	40mA	D50*H55mm

Warm White	3000K
Day Light	6400K

Voltage	AC12V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	120-160°
PF	> 0.4, > 0.5
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
175993	3W	MR16	3000K	225lm	360mA	D50*H47mm
175986	3W	MR16	6400K	225lm	360mA	D50*H47mm
176013	4W	MR16	3000K	280lm	470mA	D50*H47mm
176006	4W	MR16	6400K	300lm	460mA	D50*H47mm
177799	6W	MR16	3000K	390lm	580mA	D50*H47mm
177805	6W	MR16	6400K	420lm	550mA	D50*H47mm

Warm White	3000K
Day Light	6400K

Voltage	AC12V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	30°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
177775	6W	MR16	3000K	300lm	560mA	D50*H47mm
177782	6W	MR16	6400K	330lm	570mA	D50*H47mm

Warm White 3000K

Day Light 6400K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A+,A	**Packing**	1pc/colour box 5pcs/shrink bag
Beam angle	180°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
181796	15W	E27	3000K	1200lm	120mA	D95*H128mm
181772	15W	E27	6400K	1275lm	120mA	D95*H128mm
181802	18W	E27	3000K	1440lm	130mA	D95*H128mm
181789	18W	E27	6400K	1530lm	130mA	D95*H128mm
000331	20W	E27	3000K	1600lm	160mA	D95*H128mm
000324	20W	E27	6400K	1700lm	160mA	D95*H128mm

Warm White 3000K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A+	**Packing**	1pc/colour box 5pcs/shrink bag
Beam angle	180°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
181963	15W	B22	3000K	1200lm	120mA	D95*H127mm
181970	18W	B22	3000K	1440lm	130mA	D95*H127mm

Warm White 3000K

Day Light 6400K

NEW

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	> 80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	170°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
000935	7W	E14	3000K	520lm	55mA	D50*H97mm
000942	7W	E14	6400K	550lm	55mA	D50*H97mm

Warm White 3000K

Day Light 6400K

NEW

Voltage	230V
Life span	25000Hours
CRI	> 80Ra
EEI	A+
Beam angle	170°

PF	> 0.5
Protection	IP20
PCS/CTN	30
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
000959	12W	E27	3000K	900lm	100mA	D80*H125mm
000966	12W	E27	6400K	930lm	100mA	D80*H125mm

A6 Series

Warm White	3000K
Natural White	4000K
Day Light	6000K

NEW

Voltage	AC220-240V	**PF**	> 0.5
Life span	30000Hours	**Protection**	IP20
CRI	> 80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	38°		

BarCode	Power	Lampholder	CCT	Brightness	Current
001994	3W	GU10	3000K	200lm	25mA
002304	5W	GU10	3000K	346lm	38mA
002076	5W	GU10	4000K	346lm	38mA
002083	5W	GU10	6000K	346lm	38mA
002311	7W	GU10	3000K	556lm	50mA
002250	7W	GU10	4000K	556lm	50mA
002267	7W	GU10	6000K	556lm	50mA

B5 Series

◆ New glass material, non-conductive, good safety

◆ Good whiteness, high light transmittance, more favorable light output

◆ Glass tube 360 degrees are exposed to air, heat evenly distributed

Warm White	3000K
Day Light	6400K

Voltage	230V	**PF**	> 0.4, > 0.5
Life span	15000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	360°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
182366	4W	E14	3000K	300lm	40mA	D40*H124mm
182359	4W	E14	6400K	320lm	40mA	D40*H124mm
182380	6W	E14	3000K	450lm	70mA	D40*H134mm
182373	6W	E14	6400K	480lm	70mA	D40*H134mm
181857	4W	E27	3000K	300lm	40mA	D37*H119mm
179083	4W	E27	6400K	320lm	40mA	D37*H119mm
176099	6W	E27	3000K	450lm	70mA	D37*H130mm
176037	6W	E27	6400K	480lm	70mA	D37*H130mm
176105	8W	E27	3000K	640lm	70mA	D37*H135mm
176044	8W	E27	6400K	640lm	70mA	D37*H135mm
176082	10W	E27	3000K	750lm	80mA	D37*H135mm
176020	10W	E27	6400K	750lm	80mA	D37*H135mm

Warm White 3000K

Day Light 6400K

Voltage	230V
Life span	15000Hours
CRI	≥80Ra
EEI	A+
Beam angle	360°
PF	> 0.5
Protection	IP20
PCS/CTN	50
Packing	1pc/blister card 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
176112	9W	E27	3000K	720lm	80mA	D40*H134mm
176051	9W	E27	6400K	720lm	80mA	D40*H134mm
176129	12W	E27	3000K	960lm	80mA	D48*H160mm
176068	12W	E27	6400K	1020lm	90mA	D48*H160mm

Warm White	3000K
Day Light	6400K
Day Light	6000K

Voltage	230V	**PF**	> 0.5
Life span	15000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	50
EEI	A+,A	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	360°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
176136	15W	E27	3000K	1200lm	110mA	D48*H150mm
176075	15W	E27	6400K	1200lm	110mA	D48*H150mm
001093	19W	E27	3000K	1500lm	140mA	D48*H165mm
001086	19W	E27	6000K	1600lm	140mA	D48*H165mm

NEW

Warm White	3000K
Day Light	6000K

Voltage	230V	**PF**	> 0.5
Life span	15000Hours	**Protection**	IP20
CRI	> 80Ra	**PCS/CTN**	50
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	360°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
001116	23W	E27	3000K	1980lm	177mA	D58*H176mm
001109	23W	E27	6000K	2030lm	177mA	D58*H176mm

Warm White 3000K

Day Light 6400K

Voltage	170-250V	PF	> 0.5
Life span	20000Hours	Protection	IP20
CRI	≥80Ra	PCS/CTN	20
EEI	A+,A	Packing	1pc/colour box
Beam angle	300°		

BarCode	Power	CCT	Brightness	Current	Size
182878	10W	3000K	720lm	90mA	D28*H599mm
176143	10W	6400K	850lm	90mA	D28*H599mm
182885	18W	3000K	1400lm	140mA	D28*H1198mm
176150	18W	6400K	1530lm	140mA	D28*H1198mm
182892	20W	3000K	1550lm	90mA	D28*H1198mm
176167	20W	6400K	1700lm	90mA	D28*H1198mm
182908	25W	3000K	1900lm	190mA	D28*H1498mm
178383	25W	6400K	2125lm	190mA	D28*H1498mm

B6 Series

Natural White 4000K

NEW

Voltage	170-250V	PF	>0.5
Life span	20000Hours	Protection	IP20
CRI	≥80Ra	PCS/CTN	20
EEI	A+,A	Packing	1pc/colour box
Beam angle	300°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
001796	18W	G13	4000K	1470lm	140mA	D28*H1198mm
001819	25W	G13	4000K	2010lm	190mA	D28*H1498mm

C5 Series

◆ 270 ° super light angle

◆ Light transmittance is greater than 90%, the light is soft and not-dazzling

◆ Fashion appearance, high cost-performance

Warm White	3000K
Day Light	6400K

Voltage	230V	**PF**	> 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	30
EEI	A+	**Packing**	1pc/colour box 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182328	8W	E27	3000K	600lm	64mA	D60*H120mm	大角度 导光柱
182311	8W	E27	6400K	680lm	65mA	D60*H120mm	大角度 导光柱
182342	10W	E27	3000K	750lm	79mA	D60*H120mm	大角度 导光柱
182335	10W	E27	6400K	800lm	81mA	D60*H120mm	大角度 导光柱

Warm White 3000K

Day Light 6400K



Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	280°

PF	> 0.4
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181703	4W	E14	3000K	250lm	41mA	D35*H103mm	大角度 导光柱
181697	4W	E14	6400K	260lm	41mA	D35*H103mm	大角度 导光柱
181727	4W	E27	3000K	250lm	41mA	D35*H103mm	大角度 导光柱
181710	4W	E27	6400K	260lm	41mA	D35*H103mm	大角度 导光柱

Warm White 3000K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	280°
PF	> 0.4
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182861	4W	B22	3000K	250lm	41mA	D35*H102mm	大角度 导光柱

Warm White 3000K

Day Light 6400K

Voltage	230V	**PF**	> 0.4, > 0.5
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	30
EEI	A+	**Packing**	1pc/colour box 5pcs/shrink bag
Beam angle	280°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
181741	5W	E14	3000K	330lm	44mA	D37*H108mm	大角度 导光柱
181734	5W	E14	6400K	340lm	44mA	D37*H108mm	大角度 导光柱
182717	6W	E14	3000K	380lm	45mA	D37*H108mm	大角度 导光柱
182700	6W	E14	6400K	390lm	45mA	D37*H108mm	大角度 导光柱
181765	5W	E27	3000K	330lm	44mA	D37*H108mm	大角度 导光柱
181758	5W	E27	6400K	340lm	44mA	D37*H108mm	大角度 导光柱
182731	6W	E27	3000K	380lm	45mA	D37*H108mm	大角度 导光柱
182724	6W	E27	6400K	390lm	45mA	D37*H108mm	大角度 导光柱

Warm White **3000K**

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	280°
PF	> 0.4, > 0.5
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182854	5W	B22	3000K	330lm	44mA	D37*H107mm	大角度 导光柱
182847	6W	B22	3000K	380lm	45mA	D37*H107mm	大角度 导光柱

Warm White 3000K

Day Light 6400K

Voltage	230V	PF	> 0.4
Life span	25000Hours	Protection	IP20
CRI	≥80Ra	PCS/CTN	30
EEI	A+	Packing	1pc/colour box 5pcs/shrink bag
Beam angle	270°		

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182755	4W	E14	3000K	250lm	41mA	D45*H90mm	大角度 导光柱
182748	4W	E14	6400K	260lm	41mA	D45*H90mm	大角度 导光柱
182793	5W	E14	3000K	320lm	44mA	D45*H90mm	大角度 导光柱
182786	5W	E14	6400K	330lm	44mA	D45*H90mm	大角度 导光柱
182779	4W	E27	3000K	250lm	41mA	D45*H85mm	大角度 导光柱
182762	4W	E27	6400K	260lm	41mA	D45*H85mm	大角度 导光柱
182816	5W	E27	3000K	320lm	44mA	D45*H85mm	大角度 导光柱
182809	5W	E27	6400K	330lm	44mA	D45*H85mm	大角度 导光柱

Warm White **3000K**

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	270°
PF	> 0.4
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182823	4W	B22	3000K	250lm	41mA	D45*H84mm	大角度 导光柱
182830	5W	B22	3000K	320lm	44mA	D45*H84mm	大角度 导光柱

Warm White 3000K

Day Light 6400K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A,A+
Beam angle	270°
PF	> 0.5
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
182991	6W	E14	3000K	360lm	50mA	D53*H106mm	大角度 导光柱
182984	6W	E14	6400K	375lm	50mA	D53*H106mm	大角度 导光柱
182977	6W	E27	3000K	360lm	50mA	D53*H101mm	大角度 导光柱
182960	6W	E27	6400K	375lm	50mA	D53*H101mm	大角度 导光柱

Warm White 3000K

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A
Beam angle	270°
PF	> 0.5
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box 5pcs/shrink bag

BarCode	Power	Lampholder	CCT	Brightness	Current	Size	Product description
183004	6W	B22	3000K	360lm	50mA	D53*H100mm	大角度 导光柱

E5 Series

◆ V-0 flame rating & anti-yellowing housing material

◆ High quality and brightness LED luminous tube , low pressure constant current drive, safe and reliable, and less consumption

◆ 40000 hours long life, stable and durable

Natural White 4000K | Day Light 6000K



Voltage	220-240V
Life span	40000Hours
CRI	≥80Ra
EEI	A+
Beam angle	120°
PF	> 0.9
Protection	IP20
PCS/CTN	10
Packing	1pc/colour box

Code 182519
Code 182014



Code 175399
Code 178604
Code 175405

Code 182526
Code 182007

Code 001789

BarCode	Power	CCT	Brightness	Current	Size	Product description
182519	13W	4000K	1000lm	700mA	L295*L295*T10mm	Silver bezel
182014	13W	6000K	1000lm	700mA	L295*L295*T10mm	Silver bezel
175399	32W	6000K	2700lm	700mA	L595*W595*T10mm	Silver bezel
178604	40W	4000K	3350lm	1050mA	L595*W595*T10mm	Silver bezel
175405	40W	6000K	3350lm	1050mA	L595*W595*T10mm	Silver bezel
182526	40W	4000K	3150lm	1050mA	L295*L1195*T10mm	Silver bezel
182007	40W	6000K	3150lm	1050mA	L295*L1195*T10mm	Silver bezel
001789	40W	4000K	3350lm	1050mA	L595*W595*T10mm	The white border

SUSPENSION KITS FOR LED PANEL LIGHT

BarCode	178598
PCS/CTN	50
Packing	1pc/pvc bag



Day Light	6000K
Warm White	3000K

Voltage	220-240V	**PF**	> 0.9
Life span	40000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	9
EEI	A+	**Packing**	1pc/colour box
Beam angle	90°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
175337	14W	6000K	1090lm	700mA	D143*H57mm	The white border
182465	18W	3000K	1260lm	700mA	D168*H68mm	The white border
175351	18W	6000K	1440lm	700mA	D168*H68mm	The white border
182472	21W	3000K	1600lm	700mA	D200*H87mm	The white border
175368	21W	6000K	1700lm	700mA	D200*H87mm	The white border
182397	31W	3000K	2450lm	700mA	D226*H93mm	The white border
175375	31W	6000K	2600lm	700mA	D226*H93mm	The white border

E5 Series - Slim Down Light

Warm White	3000K
Natural White	4000K
Day Light	6000K



Voltage	220-240V	**PF**	> 0.5, > 0.9
Life span	30000Hours,40000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	60
EEI	A+	**Packing**	1pc/moon window box
Beam angle	100°,90°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
182540	6W	3000K	420lm	190mA	D115*H31mm	The white border
000645	6W	4000K	440lm	190mA	D115*H31mm	The white border
182458	6W	6000K	460lm	190mA	D115*H31mm	The white border
182434	8W	3000K	490lm	700mA	D146*H21mm	The white border
175412	8W	6000K	540lm	700mA	D146*H21mm	The white border
182403	12W	3000K	750lm	190mA	D170*H32mm	The white border
000652	12W	4000K	830lm	190mA	D170*H32mm	The white border
175429	12W	6000K	860lm	190mA	D170*H32mm	The white border
182410	16W	3000K	1000lm	700mA	D200*H21mm	The white border
175436	16W	6000K	1100lm	700mA	D200*H21mm	The white border
182533	18W	3000K	1300lm	300mA	D220*H32mm	The white border
000669	18W	4000K	1350lm	300mA	D220*H32mm	The white border
182441	18W	6000K	1450lm	300mA	D220*H32mm	The white border
182427	20W	3000K	1450lm	320mA	D240*H32mm	The white border
000676	20W	4000K	1550lm	320mA	D240*H32mm	The white border
175443	20W	6000K	1650lm	320mA	D240*H32mm	The white border

Warm White	3000K
Natural White	4000K
Day Light	6000K

Voltage	220-240V
Life span	30000Hours
CRI	≥80Ra
EEI	A+
Beam angle	90°

PF	> 0.5, > 0.9
Protection	IP44
PCS/CTN	120
Packing	1pc/moon window box

BarCode	Power	CCT	Brightness	Current	Size	Product description
000362	7W	3000K	530lm	150mA	D95*H57.5mm	The white border
000355	7W	4000K	560lm	150mA	D95*H57.5mm	The white border
000348	7W	6000K	580lm	150mA	D95*H57.5mm	The white border
000393	8W	3000K	650lm	240mA	D113*H58.6mm	The white border
000386	8W	4000K	700lm	240mA	D113*H58.6mm	The white border
000379	8W	6000K	720lm	240mA	D113*H58.6mm	The white border
182489	10W	3000K	800lm	160mA	D113*H58.6mm	The white border
000409	10W	4000K	850lm	160mA	D113*H58.6mm	The white border
179090	10W	6000K	900lm	160mA	D113*H58.6mm	The white border
182496	15W	3000K	1200lm	230mA	D145*H65.8mm	The white border
000416	15W	4000K	1250lm	230mA	D145*H65.8mm	The white border
179106	15W	6000K	1300lm	230mA	D145*H65.8mm	The white border
182502	18W	3000K	1450lm	280mA	D174*H68.5mm	The white border
000423	18W	4000K	1500lm	280mA	D174*H68.5mm	The white border
179113	18W	6000K	1550lm	280mA	D174*H68.5mm	The white border
000454	25W	3000K	2100lm	280mA	D244*H84.5mm	The white border
000447	25W	4000K	2250lm	280mA	D244*H84.5mm	The white border
000430	25W	6000K	2400lm	280mA	D244*H84.5mm	The white border

E6 Series

Warm White	3000K
Natural White	4000K
Day Light	6000K

NEW

Voltage	170-250V	**PF**	> 0.5
Life span	20000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A,A+	**Packing**	1pc/color box
Beam angle	160°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
001727	6W	3000K	320lm	60mA	D115*H32mm	The white border
001734	6W	4000K	335lm	60mA	D115*H32mm	The white border
001741	6W	6000K	360lm	60mA	D115*H32mm	The white border
001758	9W	3000K	470lm	120mA	D115*H32mm	The white border
001765	9W	4000K	480lm	120mA	D115*H32mm	The white border
001772	9W	6000K	520lm	120mA	D115*H32mm	The white border
001604	12W	3000K	770lm	120mA	D170*H32mm	The white border
001611	12W	4000K	780lm	120mA	D170*H32mm	The white border
001628	12W	6000K	820lm	120mA	D170*H32mm	The white border
001635	16W	3000K	1130lm	180mA	D205*H32mm	The white border
001642	16W	4000K	1180lm	180mA	D205*H32mm	The white border
001659	16W	6000K	1230lm	180mA	D205*H32mm	The white border
001666	18W	3000K	1230lm	240mA	D220*H32mm	The white border
001673	18W	4000K	1300lm	240mA	D220*H32mm	The white border
001680	18W	6000K	1380lm	240mA	D220*H32mm	The white border
001697	20W	3000K	1370lm	240mA	D240*H32mm	The white border
001703	20W	4000K	1400lm	240mA	D240*H32mm	The white border
001710	20W	6000K	1450lm	240mA	D240*H32mm	The white border

E6 Series - Slim Down Light

Warm White	3000K
Natural White	4000K
Day Light	6000K

NEW

Voltage	170-250V	**PF**	> 0.5
Life span	20000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A,A+	**Packing**	1pc/blister card
Beam angle	160°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
001345	6W	3000K	320lm	60mA	D115*H32mm	The white border
001352	6W	4000K	335lm	60mA	D115*H32mm	The white border
001338	6W	6000K	360lm	60mA	D115*H32mm	The white border
001123	9W	3000K	470lm	120mA	D115*H32mm	The white border
001130	9W	4000K	480lm	120mA	D115*H32mm	The white border
001147	9W	6000K	520lm	120mA	D115*H32mm	The white border
001406	12W	3000K	770lm	120mA	D170*H32mm	The white border
001413	12W	4000K	780lm	120mA	D170*H32mm	The white border
001390	12W	6000K	820lm	120mA	D170*H32mm	The white border
001437	16W	3000K	1130lm	180mA	D205*H32mm	The white border
001154	16W	4000K	1180lm	180mA	D205*H32mm	The white border
001420	16W	6000K	1230lm	180mA	D205*H32mm	The white border
001451	18W	3000K	1230lm	240mA	D220*H32mm	The white border
001468	18W	4000K	1300lm	240mA	D220*H32mm	The white border
001444	18W	6000K	1380lm	240mA	D220*H32mm	The white border
001376	20W	3000K	1370lm	240mA	D240*H32mm	The white border
001383	20W	4000K	1400lm	240mA	D240*H32mm	The white border
001369	20W	6000K	1450lm	240mA	D240*H32mm	The white border

Warm White 3000K

Natural White 4000K

Day Light 6000K

NEW

Voltage	170-250V	**PF**	> 0.5
Life span	20000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A,A+	**Packing**	1pc/blister card
Beam angle	160°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
001253	6W	3000K	320lm	60mA	D115*H32mm	Silver bezel
001260	6W	4000K	335lm	60mA	D115*H32mm	Silver bezel
001512	6W	6000K	360lm	60mA	D115*H32mm	Silver bezel
001284	9W	3000K	470lm	120mA	D115*H32mm	Silver bezel
001291	9W	4000K	480lm	120mA	D115*H32mm	Silver bezel
001277	9W	6000K	520lm	120mA	D115*H32mm	Silver bezel
001178	12W	3000K	770lm	120mA	D170*H32mm	Silver bezel
001185	12W	4000K	780lm	120mA	D170*H32mm	Silver bezel
001161	12W	6000K	820lm	120mA	D170*H32mm	Silver bezel
001314	16W	3000K	1130lm	180mA	D205*H32mm	Silver bezel
001321	16W	4000K	1180lm	180mA	D205*H32mm	Silver bezel
001307	16W	6000K	1230lm	180mA	D205*H32mm	Silver bezel
001208	18W	3000K	1230lm	240mA	D220*H32mm	Silver bezel
001215	18W	4000K	1300lm	240mA	D220*H32mm	Silver bezel
001192	18W	6000K	1380lm	240mA	D220*H32mm	Silver bezel
001239	20W	3000K	1370lm	240mA	D240*H32mm	Silver bezel
001246	20W	4000K	1400lm	240mA	D240*H32mm	Silver bezel
001222	20W	6000K	1450lm	240mA	D240*H32mm	Silver bezel

E6 Series - Down Light

Natural White	4000K
Day Light	6000K

NEW

Voltage	220-240V	**PF**	> 0.9
Life span	30000Hours	**Protection**	IP44
CRI	≥80Ra	**PCS/CTN**	40
EEI	A+	**Packing**	1pc/blister card
Beam angle	90°		

BarCode	Power	CCT	Brightness	Current	Size
001857	5W	4000K	420lm	23mA	D95*H56mm
001864	5W	6000K	440lm	23mA	D95*H56mm
001871	7W	4000K	570lm	32mA	D95*H56mm
001888	7W	6000K	580lm	32mA	D95*H56mm
001895	10W	4000K	900lm	45mA	D115*H57mm
001901	10W	6000K	920lm	45mA	D115*H57mm
001918	15W	4000K	1300lm	68mA	D145*H62mm
001925	15W	6000K	1320lm	68mA	D145*H62mm
001932	25W	4000K	2250lm	113mA	D245*H75mm
001949	25W	6000K	2300lm	113mA	D245*H75mm

Table Lamp

◆ Hight level:With human sense touch switch, 4 color temperature mode&the infinite light, color temperature design

◆ Generous : flexible rotation joints, double color temperature chimney design, can adjust the color temperature and brightness

◆ Smart : the modelling concise and easy, three intelligent dimmer, touch switch,exquisitely clever

Day Light **5300K**

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.4
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 178628

Code 178635

Code 178611

BarCode	Power	CCT	Brightness	Current	Product description
178628	5W	5300K	280lm	300mA	With light sources
178635	5W	5300K	280lm	300mA	With light sources
178611	5W	5300K	320lm	300mA	With light sources

白光-黄光 **6000K-3300K**

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.5
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 178642

Code 178659

Code 178666

BarCode	Power	CCT	Brightness	Current	Product description
178642	10W	6000K-3300K	520lm	550mA	With light sources
178659	10W	6000K-3300K	560lm	550mA	With light sources
178666	10W	6000K-3300K	520lm	550mA	With light sources

LED TABLE LAMP LIGHT02 CLIP

BarCode	178765
PCS/CTN	60
Packing	1pc/colour box

LED TABLE LAMP LIGHT02 CLIP

BarCode	178772
PCS/CTN	60
Packing	1pc/colour box

白光-黄光 **6000K-3300K**

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	B
Beam angle	120°
PF	> 0.5
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 178673

Code 178680

Code 178697

BarCode	Power	CCT	Brightness	Current	Product description
178673	10W	6000K-3300K	560lm	550mA	With light sources
178680	10W	6000K-3300K	600lm	550mA	With light sources
178697	10W	6000K-3300K	540lm	550mA	With light sources

Day Light **5300K**

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.5
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 178703

Code 178710

Code 178727

BarCode	Power	CCT	Brightness	Current	Product description
178703	6W	5300K	320lm	350mA	With light sources
178710	6W	5300K	350lm	350mA	With light sources
178727	6W	5300K	320lm	350mA	With light sources

Day Light **4600K**

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.5
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 178734

Code 178741

Code 178758

BarCode	Power	CCT	Brightness	Current	Product description
178734	8W	4600K	460lm	450mA	With light sources
178741	8W	4600K	500lm	450mA	With light sources
178758	8W	4600K	460lm	450mA	With light sources

白光-黄光 2800-6500K

Voltage	AC100-240V
Life span	50000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.5
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 182021

Code 182038

BarCode	Power	CCT	Brightness	Current	Product description
182021	5W	2800-6500K	280lm	300mA	With light sources
182038	5W	2800-6500K	320lm	300mA	With light sources

Flood Light

- ◆ Scientific design for easy installation and maintenance;
- ◆ Using high brightness imported chip, high brightness, low power consumption, low heat, energy-saving efficiency is as high as 80%
- ◆ More than 30000 hours life span

Natural White **4100K**

Voltage	AC100-240V
Life span	30000Hours
CRI	≥80Ra
EEI	A
Beam angle	120°
PF	> 0.9
Protection	IP65
PCS/CTN	36
Packing	1pc/colour box

Code 000683
Code 178796
Code 000690
Code 178802

Code 000706
Code 000713

BarCode	Power	CCT	Brightness	Current	Size
000683	10W	4100K	800lm	300mA	D114*H86*T75mm
178796	20W	4100K	1600lm	600mA	D180*H140*T95mm
000690	30W	4100K	2400lm	900mA	D225*H185*T100mm
178802	50W	4100K	4000lm	300mA	D285*H235*T150mm
000706	80W	4100K	6400lm	2400mA	D380*H285*T70mm
000713	100W	4100K	8000lm	3000mA	D380*H285*T70mm

Natural White **4100K**

Voltage	AC100-240V	**PF**	> 0.95
Life span	50000Hours	**Protection**	IP65
CRI	≥80Ra	**PCS/CTN**	30
EEI	A	**Packing**	1pc/colour box
Beam angle	120°		

BarCode	Power	CCT	Brightness	Size
179656	10W	4100K	800lm	D127*H120*T45mm
179663	20W	4100K	1600lm	D185*H178*T45mm
179670	30W	4100K	2400lm	D227*H222*T50mm
179687	50W	4100K	4000lm	D284*H273*T65mm

Natural White **4100K**

Voltage	AC85-265V	**PF**	> 0.9
Life span	50000Hours	**Protection**	IP65
CRI	≥80Ra	**PCS/CTN**	4
EEI	A+	**Packing**	1pc/box
Beam angle	120°		

BarCode	Power	CCT	Brightness
178819	100W	4100K	10000lm
178826	150W	4100K	15000lm

Track Light

◆ COB light source, a uniform light, no glare, energy conservation and health

◆ High quality aluminum shell, better heat dissipation, less luminance droop, longer life

◆ Efficient optical lens,small light loss, intensity of illumination

Track Light - two wire

Natural White **4000K**

Voltage	AC100-240V
Life span	30000Hours
CRI	≥80Ra
EEI	A
Beam angle	24°
Protection	IP20
PCS/CTN	10
Packing	1pc/colour box

Code 178833
Code 178857

Code 178864
Code 178888

BarCode	Power	CCT	Brightness	Current
178833	23W	4000K	1250lm	600mA
178857	33W	4000K	1950lm	900mA
178864	23W	4000K	1250lm	600mA
178888	33W	4000K	1950lm	900mA

Natural White **4000K**

Voltage	AC100-240V
Life span	30000Hours
CRI	≥80Ra
EEI	A
Beam angle	24°
Protection	IP20
PCS/CTN	10
Packing	1pc/colour box

Code 178840
Code 178901

Code 178871
Code 178895

BarCode	Power	CCT	Brightness	Current
178840	23W	4000K	1250lm	600mA
178901	33W	4000K	1950lm	900mA
178871	23W	4000K	1250lm	600mA
178895	33W	4000K	1950lm	900mA

RAILWAY 1 METERS-2 WIRE WHITE

BarCode	179465
PCS/CTN	20
Packing	1pc/pvc bag

RAILWAY 1 METERS-2 WIRE BLACK

BarCode	179458
PCS/CTN	20
Packing	1pc/pvc bag

RAILWAY 2 METERS-2 WIRE WHITE

BarCode	179441
PCS/CTN	20
Packing	1pc/pvc bag

RAILWAY 2 METERS-2 WIRE BLACK

BarCode	179434
PCS/CTN	20
Packing	1pc/pvc bag

I RAILWAY FITTING 2 WIRE WHITE

BarCode	181437
PCS/CTN	100
Packing	1pc/pvc bag

L RAILWAY FITTING 2 WIRE WHITE

BarCode	181451
PCS/CTN	100
Packing	1pc/pvc bag

T RAILWAY FITTING 2 WIRE WHITE

BarCode	182199
PCS/CTN	100
Packing	1pc/pvc bag

X RAILWAY FITTING 2 WIRE WHITE

BarCode	182205
PCS/CTN	100
Packing	1pc/pvc bag

RAILWAY 1 METERS-3 WIRE WHITE

BarCode	181468
PCS/CTN	20
Packing	1pc/pvc bag

RAILWAY 2 METERS-3 WIRE WHITE

BarCode	181475
PCS/CTN	20
Packing	1pc/pvc bag

I RAILWAY FITTING 3 WIRE WHITE

BarCode	181499
PCS/CTN	100
Packing	1pc/pvc bag

L RAILWAY FITTING 3 WIRE WHITE

BarCode	181505
PCS/CTN	50
Packing	1pc/pvc bag

T RAILWAY FITTING 3 WIRE WHITE

BarCode	181512
PCS/CTN	50
Packing	1pc/pvc bag

X RAILWAY FITTING 3 WIRE WHITE

BarCode	181529
PCS/CTN	25
Packing	1pc/pvc bag

Strip Light

- Small size to space-saving and protable
- Soft FPC material to bending, folding and winding easily
- Conveniently &arbitrarily shear and prolong
- Energy conservation , environmental protection& long service life

Day Light | RGB | 七彩

Voltage	DC12V
Life span	30000Hours
EEI	A
Protection	IP65
PCS/CTN	20
Packing	5m/roll include color card and blister packing



Code 178918

Code 178925

Code 178932

BarCode	Brightness	Size	Product description
178918	920lm	L500*W10*T3mm	不带遥控
178925	600lm	L500*W10*T3mm	With remote control
178932	600lm	L500*W10*T3mm	With remote control

Day Light 6500K | RGB 6500K

Voltage	5VDC
Life span	>40000hours
CRI	≥80Ra
EEI	A
Beam angle	100°
Protection	IP65
PCS/CTN	36
Packing	1pc/blister card 12pcs/inner box

Code 182649

Code 182656

BarCode	Power	CCT	Brightness	Current	Size	Product description
182649	2W	6500K	100lm/pc	400mA	L 500mm*2	带USB接口
182656	2.5W	6500K	100lm/pc	500mA	L 500mm*2	带遥控 带USB接口

Night Light

- Button Control
- Insert Cut
- Sensor Control

Day Light 6500K | Day Light 6400K

Code 182557

Voltage	220-240V
Life span	>20000Hours
CRI	≥60Ra
EEI	A
Beam angle	100°
PF	> 0.1
Protection	IP20
PCS/CTN	80
Packing	1pc/blister card 5pcs/inner box

Code 182632

Code 182588

Code 182564

Code 182625

Code 182571

Code 182595

Code 182601

Code 182618

BarCode	Power	Lampholder	CCT	Brightness	Current	Size
182557	0.5W		6500K	1.5lm	16mA	L85*W74*H72mm
182632	0.5W		6500K	1.5lm	16mA	L84*W70*H76mm
182588	0.5W		6500K	1lm	15mA	L94*W60*H60mm
182564	0.5W		6500K	1.5lm	16mA	L96*W59*H69mm
182625	0.5W		6500K	1.5lm	16mA	L96*W59*H69mm
182571	0.5W		6500K	1lm	15mA	L103*W55*H60mm
182595	4W	E14	6400K	2.5lm	20mA	L117*W40*H74mm
182601	4W	E14	6400K	2.5lm	20mA	L114*W36*H74mm
182618	4W	E14	6400K	2.5lm	20mA	L114*W36*H74mm

Warm White	3000K
Natural White	4000K

Voltage	AC100-240V	**PF**	> 0.3
Life span	>40000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A	**Packing**	1set(2pcs)/blister card 5sets/innerbox
Beam angle	100°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
182663	7.5W	3000K	300lm	75mA	L500*W28.6*H9.6mm	条形
183011	7.5W	4000K	300lm	75mA	L500*W28.6*H9.6mm	条形

Funiture Cabinet Light -

Warm White	3000K
Natural White	4000K

Voltage	AC100-240V	**PF**	> 0.3
Life span	>40000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	12
EEI	A	**Packing**	1set(3pcs)/blister card 4sets/innerbox
Beam angle	100°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
182670	3.5W	3000K	150lm	36mA	L315*W10*H6.2mm	条形
183028	3.5W	4000K	150lm	36mA	L315*W10*H6.2mm	条形

Warm White	3000K
Natural White	4000K

Voltage	AC100-240V	**PF**	> 0.3
Life span	>40000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	12
EEI	A	**Packing**	1set(3pcs)/blister card 6sets/innerbox
Beam angle	60°		

BarCode	Power	CCT	Brightness	Current	Size	Product description
182687	7.5W	3000K	300lm	75mA	L64*W64*T9mm	Square
183035	7.5W	4000K	300lm	75mA	L64*W64*T9mm	Square

Day Light **6000K**

Voltage	AC220-240V
Life span	25000Hours
EEI	A
PF	> 0.5
Protection	IP20
PCS/CTN	5
Packing	1pc/colour box

Code 177478
Code 177485
Code 177492

Code 177508
Code 177515
Code 177522

Code 177539
Code 177546
Code 177577

BarCode	Power	CCT	Brightness	Size
177478	12W	6000K	900lm	D230mm
177485	16W	6000K	1200lm	D300mm
177492	18W	6000K	1350lm	D350mm
177508	12W	6000K	900lm	D230mm
177515	16W	6000K	1200lm	D300mm
177522	18W	6000K	1350lm	D350mm
177539	12W	6000K	900lm	D230mm
177546	16W	6000K	1200lm	D300mm
177577	18W	6000K	1350lm	D350mm

Day Light **6000K**

Voltage	AC220-240V
Life span	25000Hours
EEI	A
PF	> 0.5
Protection	IP20
PCS/CTN	5
Packing	1pc/colour box

Code 177553
Code 177560
Code 177584

Code 177591
Code 177614
Code 177621

Code 177638
Code 177645
Code 177652

Code 177669
Code 177676
Code 177683

Code 177690
Code 177706

BarCode	Power	CCT	Brightness	Size
177553	12W	6000K	900lm	D230mm
177560	16W	6000K	1200lm	D300mm
177584	18W	6000K	1350lm	D350mm
177591	12W	6000K	900lm	D230mm
177614	16W	6000K	1200lm	D300mm
177621	18W	6000K	1350lm	D350mm
177638	12W	6000K	900lm	D230mm
177645	16W	6000K	1200lm	D300mm
177652	18W	6000K	1350lm	D350mm
177669	12W	6000K	900lm	D250mm
177676	16W	6000K	1200lm	D300mm
177683	18W	6000K	1350lm	D350mm
177690	16W	6000K	1200lm	D300mm
177706	18W	6000K	1350lm	D350mm

Day Light **6400K**

Voltage	AC220-240V	**PF**	> 0.5
Life span	50000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	30
EEI	A+	**Packing**	1pc/blister card 5pcs/shrink bag
Beam angle	160°		

BarCode	Power	CCT	Brightness	Current	Size
002328	9W	6400K	850lm	80mA	D34*H158mm
163013	11W	6400K	1000lm	93mA	D34*H172mm
163020	12W	6400K	1150lm	105mA	D34*H172mm

Day Light **6400K**

Warm White **3000K**

Voltage	110-250V	**PF**	> 0.9
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	20
EEI	A+,A	**Packing**	1pc/colour box
Beam angle	240°		

BarCode	Power	CCT	Brightness	Current	Size
221010	10W	6400K	850lm	48mA	D25*H599mm
182694	20W	3000K	1600lm	93mA	D25*H1198mm
222017	20W	6400K	1700lm	93mA	D25*H1198mm
222512	25W	6400K	2100lm	110mA	D25*H1498mm

L1

www.aigostar.com | **Q** - 1

T8 Tube - Rotatable Lamp Holder

Day Light **6400K**

Voltage	110-250V	**PF**	> 0.9
Life span	25000Hours	**PCS/CTN**	20
CRI	≥80Ra	**Packing**	1pc/colour box
EEI	A+		
Beam angle	240°		

BarCode	Power	CCT	Brightness	Current	Size
222598	25W	6400K	2100lm	110mA	D25*H1498mm
222604	20W	6400K	1700lm	93mA	D25*H1198mm



LED Batten Light

L1

www.aigostar.com | **R** - 1

LED Batten Light -

Warm White **3000K** | Day Light **6000K**

NEW

Voltage	100-240V
Life span	35000Hours
CRI	≥80Ra
EEI	A+
Beam angle	120°
PF	> 0.9
Protection	IP20
PCS/CTN	40
Packing	1pc/color box

Code 001956
Code 001963

Code 001970
Code 001987

BarCode	Power	CCT	Brightness	Current	Size
001956	36W	3000K	2900lm	180mA	L1200*W74.5*H23mm
001963	36W	6000K	3000lm	180mA	L1200*W74.5*H23mm
001970	36W	3000K	2900lm	180mA	L1200*W53*H28mm
001987	36W	6000K	3000lm	180mA	L1200*W53*H28mm

Warm White **3000K**

Voltage	230V
Life span	25000Hours
CRI	≥80Ra
EEI	A+
Beam angle	45°
PF	> 0.6
Protection	IP20
PCS/CTN	30
Packing	1pc/colour box

Code 171315

Code 171513

Code 171711

BarCode	Power	CCT	Brightness	Current	Size
171315	3W	3000K	309lm	28mA	D85*H72mm
171513	5W	3000K	518lm	44mA	D110*H95mm
171711	7W	3000K	704lm	62mA	D110*H95mm

Spot Light - COB

Warm White **3000K**

Voltage	230V	**PF**	> 0.6
Life span	25000Hours	**Protection**	IP20
CRI	≥80Ra	**PCS/CTN**	30
EEI	A+	**Packing**	1pc/colour box
Beam angle	45°		

BarCode	Power	CCT	Brightness	Current	Size
222567	3W	3000K	284lm	28mA	D85*H72mm
222574	5W	3000K	434lm	44mA	D110*H95mm
222581	7W	3000K	495lm	62mA	D110*H95mm

Voltage	220-240V
Beam angle	125°
Protection	IP65
PCS/CTN	9
Packing	1pc/white box

Code 179120
Code 179144

Code 179137
Code 179151

BarCode	Size
179120	L1265*W85*H88mm
179144	L1563*W85*H88mm
179137	L1265*W129*H88mm
179151	L1563*W129*H88mm

Life span	20000Hours
PCS/CTN	20
Packing	1pc/polybag

Code 178567
Code 178581
Code 000881
Code 000775

Code 000874
Code 000812
Code 000751
Code 000744

BarCode	Lampholder	Size
178567	G13	L1230*W52*H38
178581	G13	L1530*W52*H38
000881	G13	L1530*W48*H32
000775	G13	L1230*W48*H32
000874	G13	L1530*W48*H32
000812	G13	L1230*W48*H32
000751	G13	L1530*W52*H38
000744	G13	L1230*W52*H38

Voltage	AC220-240V
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 182304

Code 182298

Code 182281

Code 182274

Code 182267

BarCode	Product description
182304	Without light
182298	Without light
182281	Without light
182274	Without light
182267	Without light

Voltage	AC220-240V
Protection	IP20
PCS/CTN	12
Packing	1pc/colour box

Code 182250

Code 182243

Code 182236

Code 182229

Code 182212

BarCode	Product description
182250	Without light
182243	Without light
182236	Without light
182229	Without light
182212	Without light

NEW

LED Panel Light Milky White Frame (300*1200mm)

BarCode	001505
PCS/CTN	10
Packing	10pcs/ctn

NEW

LED Panel Light Milky White Frame (600*600mm)

BarCode	001499
PCS/CTN	10
Packing	10pcs/ctn

NEW

LED Panel Light Silver Frame (300*1200mm)

BarCode	001482
PCS/CTN	10
Packing	10pcs/ctn

NEW

LED Panel Light Silver Frame (600*600mm)

BarCode	001475
PCS/CTN	10
Packing	10pcs/ctn

www.aigostar.com